

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	("5945835" "6281690" "6753676").PN.	US-PGPUB; USPAT	OR	ON	2005/06/20 20:18
S2	13	(high adj frequency adj probe).ti.	US-PGPUB; USPAT	OR	ON	2005/06/20 20:22
S3	14	(high adj frequency adj probe).ab.	US-PGPUB; USPAT	OR	ON	2005/06/20 20:34
S4	10	S3 not S2	US-PGPUB; USPAT	OR	ON	2005/06/20 20:22
S5	21	(high adj frequency adj probe).clm.	US-PGPUB; USPAT	OR	ON	2005/06/20 20:25
S6	15	S5 not S4	US-PGPUB; USPAT	OR	ON	2005/06/20 20:25
S7	12	S5 not S3	US-PGPUB; USPAT	OR	ON	2005/06/20 20:25
S8	12	S6 and S7	US-PGPUB; USPAT	OR	ON	2005/06/20 20:26
S9	494	324/761.ccls. and spring	US-PGPUB; USPAT	OR	ON	2005/06/20 20:27
S10	99	324/761.ccls. and spring and tapered	US-PGPUB; USPAT	OR	ON	2005/06/20 20:52
S11	219	(high adj frequency adj probe)	US-PGPUB; USPAT	OR	ON	2005/06/20 20:36
S12	11	(high adj frequency adj probe)	USOCR	OR	ON	2005/06/20 20:34
S13	206	(high adj frequency adj probe)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 20:44
S14	219	S11 not S10	US-PGPUB; USPAT	OR	ON	2005/06/20 20:36
S15	29	("4523144"   "4544888"   "4566594"   "4574235"   "4574236").PN. OR ("4727319").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 20:40
S16	0	("3892913").URPN.	USPAT	OR	OFF	2005/06/20 20:44
S17	0	324/761.ccls. and tapered near cavity	US-PGPUB; USPAT	OR	ON	2005/06/20 20:52
S18	84	324/761.ccls. and spring and cavity	US-PGPUB; USPAT	OR	ON	2005/06/20 20:52
S19	3	"4388591"	USPAT	OR	OFF	2005/06/21 17:38
S20	13	("0467891"   "1138749"   "2529270"   "2819573"   "3768005"   "4098048"   "4166457").PN. OR ("4388591").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/21 17:39
S21	5	"6112905"	USPAT	OR	OFF	2005/06/21 17:47

S22	16	(test\$4 with coaxial adj connector). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 14:22
S23	1	2004-567968.NRAN.	DERWENT	OR	OFF	2005/09/14 13:54
S24	89	(coaxial adj probe).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 14:33
S25	6	"4801274"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 14:22
S26	10	"5136237"	USPAT	OR	OFF	2005/09/14 14:32
S27	165	(coaxial adj probe).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 14:34
S28	127	S27 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 14:34
S29	1	jp08294450	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 15:19
S30	1	jp10221368	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 15:20
S31	4	"10221368"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 15:20

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	5	("4801274" "5945835" "6135799" "6281690" "6753676").PN.	USPAT	OR	OFF	2006/01/13 16:46
L15	9	(radio with frequency with probe and cavity).clm.	US-PGPUB	OR	OFF	2006/01/13 17:10
L16	7	(high with frequency with probe and cavity).clm.	US-PGPUB	OR	OFF	2006/01/13 17:10
L17	5	(coaxial with probe and cavity and connector).clm.	US-PGPUB	OR	OFF	2006/01/13 17:10
L18	166	(radio with frequency with probe and cavity)	US-PGPUB	OR	OFF	2006/01/13 17:13
L19	25	(radio with frequency with probe and cavity and coaxial and connector)	US-PGPUB	OR	OFF	2006/01/13 17:11
L20	3	(radio with frequency with probe).ti.	US-PGPUB	OR	OFF	2006/01/13 17:13
L21	9	(high with frequency with probe).ti.	US-PGPUB	OR	OFF	2006/01/13 17:14
L22	51	(high with frequency with probe).ti.	USPAT; USOCR	OR	OFF	2006/01/13 17:17
L23	1753	(high with frequency with probe)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:17
L24	129	(high with frequency with probe and (cavity or hole or tapered))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:18
L25	23	(high with frequency with probe and (cavity or hole or tapered) and coaxial)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:18

*Index Review  
Search*